hand towel





Cost In use Calculato

STEP 1 - Current usage

Client name / usage / length (cm) XYZ Sample Company Current type Cabinet Roll-a-Towel \$5.50 Excl. GST Price per case 10 Cases bought per month 30 Length per sheet (cm) or roll (m) cm / m Number of sheets per pack / roll 90 Number of packs / rolls per case 1 Number of sheets per case 90 sheets

STEP 2 - Proposal		Length per Sheet (cm)	Sheets per Roll
		1 Ply 182m Roll - 32cm	568
Proposed product	US300 Ultra Silk Hand Towel	1 Ply 182m Roll - 28cm	650
Price per case (End User)	\$44.26 Excl. GST	1 Ply 182m Roll - 24cm	758
The per case (End oser)	ψ+4.20 Exci. 661	1 Ply 182m Roll - 20cm	910
Length per sheet (cm) or roll (m)	31.25 cm		
Number of sheets per pack / roll	100	3 Ply 100m Roll - 32cm	312
Number of packs / rolls per case	20	3 Ply 100m Roll - 28cm	357
Number of sheets per case	2,000 sheets	3 Ply 100m Roll - 24cm	416
Number of sheets per case	3116613	3 Ply 100m Roll - 20cm	500

Current Proposed Product Cabinet Roll-a-Towel US300 Ultra Silk Hand Towel Use per event (sheets) 3 2 Wastage Pilferage O % Streaming 0 % 0 % 0 % 0

Usage reduction factor (URF) 33.33 %

STEP 4 - Conversion

STEP 3 - Usage

	Current	Proposed	
Product	Cabinet Roll-a-Towel	US300 Ultra Silk Hand Towel]
Amount bought per year	120	cases	
	10,800	sheets	
Usage reduction factor		33.33	%
Forecast for proposal		7,200	sheets
		4	cases
		7,200	sheets

hand towel





Cost In use Calculator

STEP 5 - Business case

Client name / usage / length (cm)

Product


Price per case

Total cases per year

First year budget

+ Dispenser investment

XYZ Sample Company]
Current	Proposed	_
Cabinet Roll-a-Towel	US300 Ultra Silk Hand Towel]
\$5.50	\$44.26	Excl. GST
120	4]
\$660.00	\$159.34	Excl. GST
		Excl. GST



Legal Statement

The dollar savings projected in this "Cost in Use Calculator" are based on estimates of the quantity of the proposed toilet tissue required to do the same job as the current tissue. The savings derived are an indication only and Pacific Hygiene Ltd recommends a full trial be conducted before relying on the comparitive savings from using the proposed toilet tissue rather than the current tissue.